



Global Mining Products



The New Digital V-RAD Series

Extreme design innovation with colour screen and keypad for single increment digital torque settings. Ideal for applications where compressed air is not readily available. Smooth continuous flow of controlled torque-adjustable presets.



- **Digital Display with Colour Screen**
- **Single Increment Digital Torque Settings**
- **Patented Legendary Gearbox Design**
- **Advanced durable electric motor design!**

Please contact us today and arrange a demonstration!

Toll Free 877-576-2855



DV-RAD Digital Electric Torque Tool

The DV-RAD-2500 digital battery powered torque wrenches are ideal for any application, especially where compressed air is not available.

- **Fully programmable preset torque settings**
- **Torque range up to 2500 ft. lbs.**
- **Electric Powered**

DV-RAD 2500 Digital Electric Series Torque Tool


Part No.	Drive Size	Torque (Low- High)	RPM	Weight (lbs)	Noise Level
RAD-16122	1.0"	1000 - 2500 ft/lbs	3.2	13.6	80 db



All DV-RAD 2500 Torque Tools come fully calibrated complete with:

- DV-RAD 2500 Torque Tool
- Operators Manual
- Calibration Chart
- Reaction Arm and Retention Ring
- Weatherproof Storage Case

To ensure the highest quality of measurement and accuracy, each Digital DV-RAD Series electric torque wrench comes individually calibrated traceable to NIST standards.



Standard	Deep Socket	Double Ended	Blank	Double Ended Blank	Retaining Clip
RAD-18250	RAD-18251	RAD-10516	RAD-10513	RAD-10448	RPT-10509

ALSO AVAILABLE FROM GLOBAL MINING PRODUCTS



ELECTRIC SERIES

Torque Range
100-2300 ft. lbs.

- ✓ Quick adjust torque settings
Fast and accurate "dial a torque" for maximum versatility and efficiency.
- ✓ Soft-start vary speed trigger
Allows operator to safely and quickly set reaction arm before full torque is applied.
- ✓ Equal power in forward and reverse
Convenience and cost effective use of same tool for break away and final torque.
- ✓ Advanced ultra-durable electric motor design
Extreme duty designed to reduce maintenance cost and increase reliability.



DIGITAL BATTERY

Torque Range
100-1300 ft. lbs.

- ✓ DIGITAL and PROGRAMMABLE Pistol Grip Torque Wrenches.
- ✓ Ideal for applications where compressed air or electricity is not readily available.
- ✓ Unmatched power, VERSATILITY, and reliability in a lightweight portable tool.
- ✓ Stall type tool capable of accuracy of +/-5%, and repeatability of +/-2%.
- ✓ Single speed and high speed models available



BATTERY SERIES

Torque Range
100-1300 ft. lbs.

- ✓ Unmatched power, VERSATILITY, and reliability in a lightweight portable tool.
- ✓ Ideal for applications where compressed air or electricity is not readily available.
- ✓ Offered in both single speed and high speed models.
- ✓ Stall type tool capable of accuracy of +/-10%, and repeatability of +/-2%.
- ✓ Quick Grip adjustable torque settings on all torque wrenches.
- ✓ Precision adjustable posi-clutch for accurate torque output.



ELECTRONIC SERIES

Torque Range
100 - 6000 ft. lbs.

- ✓ Push-button select torque
Fast and convenient error-free digital single increment torque setting
- ✓ Lightweight and ergonomic pistol grip design
Advance low-profile handle to reduce operator fatigue and increase productivity
- ✓ Extremely low noise level only 75db
World's quietest extreme torque gun, ideal for sensitive environments and standards
- ✓ Data collection capability
All E Series tools come with data collection software allowing traceability of each torque sequence performed
- ✓ LED Green (Pass) or Red (Fail) indicator lights



PNEUMATIC SERIES

Torque Range
100-8500 ft. lbs.

- ✓ PATENTED planetary gear reduction
Delivers one of the highest power-to-weight ratios of any pneumatic controlled bolting system
- ✓ Smooth continuous flow of controlled torque
Eliminates destructive hammering
- ✓ Lightweight ergonomic pistol grip design
Reduces operator strain and injury; resulting in increased productivity
- ✓ Unmatched reliability and quality
Delivered by one of the most advanced engineered gear boxes on the market