



Global Mining Products



RAD Battery Series (B-RAD) torque wrenches offer unmatched power, versatility, and reliability. Incorporating precision engineered gear boxes, their lightweight design makes these tools ideal for any application, especially where compressed air or electricity are not readily available. The B-RAD Series are available in single speed and high speed models.

**Quick Grip to Adjust Torque Setting**

**Easy View Torque Settings**

**Precision Adjustable Posi-Clutch for Accurate Torque Output**

**Ergonomic Pistol Grip Handle**

**Soft Start Trigger for Safety**

**Convenient Forward/Reverse Switch**

**Quick Release Fastener for Rapid Gear Box or Motor Change**



**B-RAD 1350-2 Battery Powered Torque Tool**

No Power? No Problem! The B-RAD-1350-2 battery powered torque wrenches are ideal for any application, especially where compressed air or electricity are not available.

**Just imagine the freedom...  
No Air Lines! No Power Cords! No Hassles !**

B-RAD 1350-2 Battery Series Torque Tool

Part No.	Drive Size	Torque (Low- High)	RPM	Weight (kgs)	Noise Level
RAD-20096	0.75"	550 - 1350 Nm	11.5	4.9	80 db



All B-RAD 1350-2 Torque Tools come fully calibrated complete with:



- B-RAD 1350-2 Torque Tool
- Operators Manual
- Calibration Chart
- Reaction Arm and Retention Ring
- Weatherproof Storage Case
- Battery Charger p/n: RAD-16091
- (2)18 Volt Lithium Ion Batteries p/n: RAD-18795

To ensure the highest quality of measurement and accuracy, each RAD® tool comes individually calibrated traceable to NIST standards.

**Please contact us today**

to arrange an on-site demonstration!

**Toll Free 877-576-2855**



Standard	Deep Socket	Double Ended	Blank	Double Ended Blank	Retaining Clip
RAD-13366	RAD-13367	RAD-13368	RAD-13364	RAD-13365	RPT-12733

## ALSO AVAILABLE FROM GLOBAL MINING PRODUCTS



### ELECTRIC SERIES

Torque Range  
150 - 3100 Nm

- ✓ Quick adjust torque settings  
Fast and accurate "dial a torque" for maximum versatility and efficiency.
- ✓ Soft-start vary speed trigger  
Allows operator to safely and quickly set reaction arm before full torque is applied.
- ✓ Equal power in forward and reverse  
Convenience and cost effective use of same tool for break away and final torque.
- ✓ Advanced ultra-durable electric motor design  
Extreme duty designed to reduce maintenance cost and increase reliability.



### DIGITAL ELECTRIC

Torque Range  
550 - 3400 Nm

- ✓ Ideal for applications where compressed air or electricity is not readily available.
- ✓ DIGITAL display with colour screen
- ✓ Single Increment digital torque settings
- ✓ Fully programmable preset torque settings
- ✓ Advanced durable electric motor design



### DIGITAL BATTERY

Torque Range  
135 - 1750 Nm

- ✓ DIGITAL and PROGRAMMABLE Pistol Grip Torque Wrenches.
- ✓ Ideal for applications where compressed air or electricity is not readily available.
- ✓ Unmatched power, VERSATILITY, and reliability in a lightweight portable tool.
- ✓ Stall type tool capable of accuracy of +/-5%, and repeatability of +/-2%.
- ✓ Single speed and high speed models available



### ELECTRONIC SERIES

Torque Range  
135 - 8100 Nm

- ✓ Push-button select torque  
Fast and convenient error-free digital single increment torque setting
- ✓ Lightweight and ergonomic pistol grip design  
Advance low-profile handle to reduce operator fatigue and increase productivity
- ✓ Extremely low noise level only 75db  
World's quietest extreme torque gun, ideal for sensitive environments and standards
- ✓ Data collection capability  
All E Series tools come with data collection software allowing traceability of each torque sequence performed
- ✓ LED Green (Pass) or Red (Fail) indicator lights  
Unmistakable visual signal indicates status of torque procedure for maximum accuracy and speed



### PNEUMATIC SERIES

Torque Range  
150 - 11500 Nm

- ✓ PATENTED planetary gear reduction  
Delivers one of the highest power-to-weight ratios of any pneumatic controlled bolting system
- ✓ Smooth continuous flow of controlled torque  
Eliminates destructive hammering
- ✓ Lightweight ergonomic pistol grip design  
Reduces operator strain and injury; resulting in increased productivity
- ✓ Unmatched reliability and quality  
Delivered by one of the most advanced engineered gear boxes on the market

## ALSO AVAILABLE FROM GLOBAL MINING PRODUCTS



### ELECTRIC SERIES

Torque Range  
150 - 3100 Nm

- ✓ Quick adjust torque settings  
Fast and accurate "dial a torque" for maximum versatility and efficiency.
- ✓ Soft-start vary speed trigger  
Allows operator to safely and quickly set reaction arm before full torque is applied.
- ✓ Equal power in forward and reverse  
Convenience and cost effective use of same tool for break away and final torque.
- ✓ Advanced ultra-durable electric motor design  
Extreme duty designed to reduce maintenance cost and increase reliability.



### DIGITAL ELECTRIC

Torque Range  
550 - 3400 Nm

- ✓ Ideal for applications where compressed air or electricity is not readily available.
- ✓ DIGITAL display with colour screen
- ✓ Single Increment digital torque settings
- ✓ Fully programmable preset torque settings
- ✓ Advanced durable electric motor design



### DIGITAL BATTERY

Torque Range  
135 - 1750 Nm

- ✓ DIGITAL and PROGRAMMABLE Pistol Grip Torque Wrenches.
- ✓ Ideal for applications where compressed air or electricity is not readily available.
- ✓ Unmatched power, VERSATILITY, and reliability in a lightweight portable tool.
- ✓ Stall type tool capable of accuracy of +/-5%, and repeatability of +/-2%.
- ✓ Single speed and high speed models available



### ELECTRONIC SERIES

Torque Range  
135 - 8100 Nm

- ✓ Push-button select torque  
Fast and convenient error-free digital single increment torque setting
- ✓ Lightweight and ergonomic pistol grip design  
Advance low-profile handle to reduce operator fatigue and increase productivity
- ✓ Extremely low noise level only 75db  
World's quietest extreme torque gun, ideal for sensitive environments and standards
- ✓ Data collection capability  
All E Series tools come with data collection software allowing traceability of each torque sequence performed
- ✓ LED Green (Pass) or Red (Fail) indicator lights  
Unmistakable visual signal indicates status of torque procedure for maximum accuracy and speed



### PNEUMATIC SERIES

Torque Range  
150 - 11500 Nm

- ✓ PATENTED planetary gear reduction  
Delivers one of the highest power-to-weight ratios of any pneumatic controlled bolting system
- ✓ Smooth continuous flow of controlled torque  
Eliminates destructive hammering
- ✓ Lightweight ergonomic pistol grip design  
Reduces operator strain and injury; resulting in increased productivity
- ✓ Unmatched reliability and quality  
Delivered by one of the most advanced engineered gear boxes on the market